

## ORTHOTICS ORDER FORM

Today's date  Due date

### CUSTOMER INFO

Contact person   
 Company   
 Location   
 PO#

### PATIENT INFO

Patient   
 Diagnosis   
 Activity Level   
 Side  Right  Left  Bilateral  
 Height  Weight   
 Age  Sex

### DEVICE

- Solid AFO
- Semi-Solid AFO
- Floor Reaction AFO
- Articulated AFO
- Split Upright AFO
- Metal AFO
- SMO
- UCBL
- CROW Boot
- PLS

### ANKLE JOINTS

- Tamarack
  - Tamarack Dorsi Assist
  - Other
- Size:  M  L

### ADDITIONS

- Inner Boot
- Anterior Shell
- Toe Filler

### TRANSFER PAPER


### ANKLE STOP

- Posterior
- Posterior Adjustable
- Free Motion
- Other


### POSTING (EXTERNAL)

- Heel Lift  1/4  1/2
- Other


### CAST CORRECTIONS

 **Hindfoot Valgus/Varus)**

- Correct to neutral
- Do not correct

 **Forefoot**

- Correct to neutral
- Do not correct

 **Ankle Alignment**

- Correct to neutral
- Do not correct

Heel Height  Foot Length  Trim Height  (Floor to the top of the brace)

### FOOT PLATE TRIM

- Full Plate
- Extend Lateral
- Sulcus
- Extend Medial
- Metatarsal
- Extend Both

### MATERIAL

- Polypropylene
- Co-Polymer
- Polyethylene

### THICKNESS

- 3/32  1/8
- 5/32  3/16
- 1/4

### PADDING

Full  Calf  Malleolus  Metatarsal  Arch  Other

### STRAPS

Calf  Instep  T-Strap  Night Time Strap  Color

### SPECIAL INSTRUCTIONS